






## **Tanners Creek Signage Standards**

- Every building site must include a monument sign built to the specifications of the attached plan (Corporate Sign Detail – Tanners Creek, by Roy Ashley & Associates).
- Signage on buildings is not allowed. All signage must be placed on the monument sign.
- Lettering on doors may be allowed if approved in writing by the Tanners Creek Design Control Committee.
- Street numbers shown on the attached plan must be black (flat) in color, 6” in height, and of the Times New Roman font.
- Street numbers can only be of the following materials:
  - Cast or routed aluminum, 3/4” thick, painted
  - Routed PVC, 3/4” thick, painted
  - Gemini – Minnesota Letters, 3/4” thick (Times Bold font)
- Logos or Company names can only be of the following materials:
  - Cast or routed aluminum
  - Routed PVC
  - Gemini – Minnesota Letters
- All signage, lettering, logos and company names must be approved in writing by the Tanners Creek Design Control Committee.

**SIGN ELEVATION**  
SCALE: 1/2" = 1'-0"



 an office of <b>FLOWERY BRANCH, GEORGIA</b>	<b>CORPORATE SIGN DETAIL</b>	 <b>RAI</b> RAINBOW ARCHITECTURE 1000 W. 10TH ST. SUITE 100 FLOWERY BRANCH, GA 30542 (770) 967-4625
---	----------------------------------	--

